



भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-08052020-219312
CG-DL-E-08052020-219312

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 1280]

नई दिल्ली, शुक्रवार, मई 8, 2020/वैशाख 18, 1942

No. 1280]

NEW DELHI, FRIDAY, MAY 8, 2020/VAISAKHA 18, 1942

रेल मंत्रालय

(रेलवे बोर्ड)

अधिसूचना

नई दिल्ली, 8 मई, 2020

का.आ. 1430(अ).—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 24) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 20क के उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह समाधान हो जाने के पश्चात् कि लोक प्रयोजन के लिए ऐसी भूमि का जिसका संक्षिप्त विवरण इससे उपाबद्ध अनुसूची में दिया गया है, पश्चिम बंगाल राज्य के पश्चिम बर्धमान जिले में विशेष रेल परियोजना अर्थात्, ईस्टर्न डेडीकेटेड फ्रेट कॉरिडोर के निष्पादन, रख-रखाव, प्रबन्ध और प्रचालन के लिए अपेक्षित है, ऐसी भूमि का अर्जन करने के अपने आशय की घोषणा करती है;

उक्त भूमि में हितबद्ध कोई व्यक्ति राजपत्र में इस अधिसूचना के प्रकाशन की तारीख से तीस दिन की अवधि के भीतर, उक्त अधिनियम की धारा 20घ की उप-धारा (1) के अधीन पूर्वोक्त प्रयोजन के लिए ऐसी भूमि के अर्जन और उपयोग के संबंध में आक्षेप कर सकेगा;

ऐसा प्रत्येक आक्षेप सक्षम प्राधिकारी अर्थात्, अतिरिक्त जिला मजिस्ट्रेट (भूमि अर्जन), पश्चिम बर्धमान, पश्चिम बंगाल को लिखित में किया जाएगा और उसमें उसके आधार उपवर्णित किए जाएंगे तथा सक्षम प्राधिकारी, आक्षेपकर्ता को व्यक्तिगत रूप से या विधि व्यवसायी के माध्यम से सुनवाई का अवसर प्रदान करेगा और ऐसे सभी आक्षेपों की सुनवाई करने तथा ऐसी अतिरिक्त जांच यदि कोई हो करने के पश्चात् जो सक्षम प्राधिकारी आवश्यक समझे आदेश द्वारा आक्षेपों को या तो अनुज्ञात या अननुज्ञात कर सकेगा;

उक्त अधिनियम की धारा 20घ की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अन्तिम होगा;

इस अधिसूचना के अधीन आने वाली भूमि का रेखांक और अन्य ब्यौरे उपलब्ध है और हितबद्ध व्यक्ति द्वारा उनका सक्षम प्राधिकारी के पूर्वोक्त कार्यालय में निरीक्षण किया जा सकता है।

अनुसूची

पश्चिम बंगाल राज्य के पश्चिम बर्धमान जिले में विशेष रेल परियोजना अर्थात्, ईस्टर्न डेडीकेटेड फ्रेट कॉरिडोर के लिए अर्जित की जाने वाली भूमि का संरचना सहित या उसके रहित संक्षिप्त विवरण।

जिले का नाम : पश्चिम बर्धमान

| क्र० सं० | पुलिस स्टेशन | मौजा का नाम अधिकारिता सूची संख्या सहित | प्लॉट संख्या | अर्जित क्षेत्रफल | | प्रभावित भाग |
|----------|--------------|--|--------------|------------------|--------------|---------------------------------------|
| | | | | एकड़ में | हेक्टेयर में | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1. | रानीगंज | रानीगंज-24 (एल.आर.) | 6267 | 0.330 | 0.1335 | संपूर्ण |
| | | | 6268 | 0.005 | 0.0020 | उत्तरी |
| | | | 6269 | 0.025 | 0.0101 | उत्तरी |
| | | | 6270 | 0.020 | 0.0081 | उत्तरी |
| | | | 6275 | 0.005 | 0.0020 | उत्तरी |
| | | | 6276 | 0.020 | 0.0081 | उत्तरी |
| | | | 6283 | 0.015 | 0.0061 | उत्तरी |
| | | | 6286 | 0.020 | 0.0081 | उत्तरी |
| | | | 6287 | 0.035 | 0.0142 | उत्तरी |
| | | | 6288 | 0.280 | 0.1133 | उत्तरी |
| | | | 6289 | 0.235 | 0.0951 | उत्तरी |
| | | | 6290 | 0.155 | 0.0627 | उत्तरी |
| | | | 6291 | 0.075 | 0.0304 | उत्तरी |
| | | | 6295 | 0.270 | 0.1093 | उत्तर-पश्चिमी |
| | | | 6296 | 0.405 | 0.1639 | दक्षिण-पूर्व कोण वर्जित संपूर्ण प्लॉट |
| | | | 6297 | 0.030 | 0.0121 | संपूर्ण |
| | | | 6298 | 0.035 | 0.0142 | उत्तरी |
| | | | 6314 | 0.005 | 0.0020 | उत्तर-पश्चिम कोण |
| | | | 6315 | 0.060 | 0.0243 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | | 6316 | 0.240 | 0.0971 | उत्तरी |
| | | | 6317 | 0.240 | 0.0971 | उत्तरी |
| | | | 6318 | 0.055 | 0.0223 | मध्य भाग |
| | | | 6323 | 0.325 | 0.1315 | उत्तर-पूर्वी |
| | | | 6324 | 0.100 | 0.0405 | संपूर्ण |
| | | | 6326 | 0.005 | 0.0020 | उत्तर-पूर्व कोण |
| | | | 6945 | 0.020 | 0.0081 | उत्तरी |
| | | | 6946 | 0.015 | 0.0061 | उत्तरी |

| | | | | | | |
|----|--|---|-----------------|-------|--------|--|
| | | | 6947 | 0.005 | 0.0020 | उत्तर-पश्चिमी |
| | | | 6949 | 0.005 | 0.0020 | उत्तरी |
| | | | 6950 | 0.310 | 0.1255 | संपूर्ण |
| | | | 6951 | 0.160 | 0.0647 | संपूर्ण |
| | | | 6952 | 0.085 | 0.0344 | उत्तरी |
| 2. | | रानीगंज-24 (एल.आर.) | 4171 | 0.062 | 0.0251 | संपूर्ण |
| | | | 4172 | 0.090 | 0.0364 | संपूर्ण |
| | | | 4173 | 0.005 | 0.0020 | उत्तर-पूर्व कोण |
| | | | 4174 | 0.047 | 0.0190 | उत्तरी |
| | | | 4175 | 0.170 | 0.0688 | उत्तरी |
| | | | 4209 | 0.114 | 0.0462 | उत्तरी |
| 3. | | रानीगंज-24 (आर. एस.) | 1182 | 1.090 | 0.4413 | उत्तर-पूर्वी |
| | | | 1182 / 5 666 | 0.025 | 0.0101 | उत्तरी |
| | | | 1182 / 5 667 | 0.490 | 0.1984 | दक्षिण-पश्चिम भाग वर्जित संपूर्ण प्लॉट |
| | | | 1184 / 5 662 | 0.070 | 0.0283 | उत्तर-पूर्वी |
| 4. | | बक्तारनगर-3 0 (आर. एस. / एल.आर.) | 1123 | 0.530 | 0.2145 | पूर्वी |
| | | | 1124 | 0.080 | 0.0326 | उत्तर-पूर्वी |
| | | | 1125 | 0.055 | 0.0223 | दक्षिण कोण वर्जित संपूर्ण प्लॉट |
| | | | 1126 | 0.235 | 0.0951 | उत्तरी |
| | | | 1129 | 0.260 | 0.1052 | संपूर्ण |
| | | | 1130 | 0.150 | 0.0607 | संपूर्ण |
| | | | 1136 | 0.030 | 0.0121 | दक्षिण-पश्चिमी |
| | | | 1137 | 0.170 | 0.0688 | संपूर्ण |
| | | | 1138 | 0.530 | 0.2145 | दक्षिणी भाग वर्जित संपूर्ण प्लॉट |
| | | | 1139 | 0.555 | 0.2246 | दक्षिण-पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | | 1140 | 0.220 | 0.0890 | संपूर्ण |
| | | | 1141 | 0.950 | 0.3845 | उत्तर-पश्चिम कोण वर्जित संपूर्ण प्लॉट |
| | | | 1142 | 0.030 | 0.0121 | दक्षिणी |
| | | | 1143 | 0.070 | 0.0283 | संपूर्ण |
| | | | 1144 | 0.110 | 0.0445 | संपूर्ण |
| | | | 1145 | 0.090 | 0.0364 | संपूर्ण |

| | | | | | | |
|----|--|-----------------------|----------------|-------|--------|----------------------------------|
| | | | 1146 | 0.130 | 0.0526 | संपूर्ण |
| | | | 1147 | 0.570 | 0.2307 | संपूर्ण |
| | | | 1148 | 0.855 | 0.3460 | उत्तरी |
| | | | 1149 | 0.840 | 0.3399 | संपूर्ण |
| | | | 1150 | 0.205 | 0.0830 | उत्तरी |
| | | | 1154 | 0.490 | 0.1983 | उत्तरी |
| | | | 1155 | 0.540 | 0.2185 | उत्तरी |
| | | | 1156 | 0.845 | 0.3420 | उत्तर-पश्चिमी |
| | | | 1179 | 0.025 | 0.0101 | उत्तर-पूर्व कोण |
| | | | 1121 / 2737 | 0.115 | 0.0465 | दक्षिणी भाग वर्जित संपूर्ण प्लॉट |
| | | | 1130 / 2738 | 0.160 | 0.0648 | संपूर्ण |
| | | | 1130 / 2739 | 0.020 | 0.0081 | संपूर्ण |
| | | | 1138 / 2740 | 0.060 | 0.0243 | संपूर्ण |
| | | | 1149 / 2741 | 0.340 | 0.1376 | संपूर्ण |
| | | | 1156 / 2742 | 0.330 | 0.1335 | दक्षिणी भाग वर्जित संपूर्ण प्लॉट |
| | | | 1151 / 2770 | 0.030 | 0.0121 | उत्तर-पश्चिमी |
| | | | 1123 / 2878 | 0.055 | 0.0223 | दक्षिण-पूर्व कोण |
| | | | 1147 / 2879 | 0.330 | 0.1335 | उत्तर-पश्चिमी |
| 5. | | एगारा-13 (आर. एस.) | 1585 | 0.305 | 0.1235 | उत्तर-पूर्वी |
| | | | 1586 | 0.125 | 0.0506 | उत्तर-पूर्वी |
| | | | 1587 | 0.665 | 0.2692 | उत्तर-पूर्वी |
| | | | 1600 | 0.515 | 0.2085 | उत्तर-पूर्वी |
| | | | 1605 | 0.005 | 0.0020 | उत्तर-पूर्वी |
| | | | 1609 | 0.290 | 0.1174 | संपूर्ण |
| | | | 1608 | 0.075 | 0.0304 | संपूर्ण |
| | | | 1610 | 0.015 | 0.0061 | संपूर्ण |
| | | | 1611 | 0.280 | 0.1134 | उत्तर-पूर्वी |
| | | | 1612 | 0.055 | 0.0223 | उत्तर-पूर्वी |
| | | | 1615 | 0.015 | 0.0061 | उत्तर-पूर्वी |
| 6. | | चेलाद-05 (एल.आर.) | 2505 | 0.190 | 0.0769 | उत्तर-पश्चिम भाग |
| | | | 2538 | 0.020 | 0.0081 | उत्तर-पूर्व कोण |
| | | | 2540 | 0.010 | 0.0040 | दक्षिण-पश्चिम भाग |
| | | | 2542 | 0.125 | 0.0506 | दक्षिणी |

| | | | | | | |
|----|--|--------------------------|-----------|-------|--------|-------------------|
| | | | 2544 | 0.050 | 0.0202 | दक्षिणी |
| | | | 2545 | 0.060 | 0.0243 | दक्षिणी |
| | | | 2546 | 0.060 | 0.0243 | पश्चिमी |
| | | | 2547 | 0.030 | 0.0121 | दक्षिण-पश्चिम कोण |
| 7. | | मुर्गाथोल-15 (एल.आर.) | 2 / 595 | 0.400 | 0.1620 | उत्तर-पूर्व भाग |
| 8. | | मुर्गाथोल-15 (एल.आर.) | 480 | 0.160 | 0.0648 | उत्तर-पूर्व भाग |
| | | | 481 | 1.730 | 0.7001 | मध्य भाग |
| | | | 482 | 0.370 | 0.1497 | पश्चिमी |
| | | | 492 | 0.170 | 0.0688 | दक्षिण-पश्चिम भाग |
| | | | 496 | 0.045 | 0.0182 | पश्चिम अंत |
| | | | 502 | 0.350 | 0.1416 | मध्य भाग |
| | | | 503 | 0.290 | 0.1174 | उत्तरी |
| | | | 504 | 0.120 | 0.0486 | उत्तरी |
| | | | 507 | 0.015 | 0.0061 | उत्तर कोण |
| | | | 511 | 1.490 | 0.6030 | मध्य भाग |
| | | | 514 | 0.360 | 0.1457 | मध्य भाग |
| | | | 515 | 0.110 | 0.0445 | उत्तरी |
| | | | 516 | 0.110 | 0.0445 | दक्षिणी |
| | | | 517 | 0.005 | 0.0020 | दक्षिण कोण |
| | | | 528 | 0.950 | 0.3845 | मध्य भाग |
| | | | 532 | 0.610 | 0.2469 | मध्य भाग |
| | | | 533 | 0.130 | 0.0526 | दक्षिणी |
| | | | 534 | 0.635 | 0.2570 | उत्तरी |
| | | | 537 | 0.010 | 0.0040 | उत्तर कोण |
| | | | 540 | 0.770 | 0.3116 | मध्य भाग |
| | | | 542 | 0.085 | 0.0344 | दक्षिणी |
| | | | 543 | 0.355 | 0.1437 | उत्तरी |
| | | | 544 | 0.950 | 0.3845 | मध्य भाग |
| | | | 513 / 624 | 0.365 | 0.1477 | मध्य भाग |
| | | | 541 / 625 | 0.465 | 0.1882 | मध्य भाग |

[फा. सं. 2020 / एलएमएल-II / 12 / 2 / ईसी / 2011]

अजय शर्मा, कार्यकारी निदेशक (भूमि एवं सुविधाएं-1)

MINISTRY OF RAILWAY

(Railway Board)

NOTIFICATION

New Delhi, the 8th May, 2020

S.O. 1430(E).— In exercise of the powers conferred by sub-section (1) of Section 20A of the Railways Act, 1989 (24 of 1989) (hereinafter referred to as the said Act), the Central Government after being satisfied that for the public purpose the land the brief description of which has been given in the schedule annexed hereto is required for the purpose of execution, maintenance, management and operation of the Special Railway Project namely, Eastern Dedicated Freight Corridor in the district of Paschim Bardhaman in the State of West Bengal, hereby declares its intention to acquire such land;

Any person interested in the said land may within a period of thirty days from the date of publication of this notification in the Official Gazette, raise objection to the acquisition and use of such land for the aforesaid purpose under sub-section (1) of Section 20D of the said Act;

Every such objection shall be made to the competent authority namely, Additional District Magistrate (Land Acquisition), Paschim Bardhaman, West Bengal in writing and shall set out the grounds thereof and the competent authority shall give the objector an opportunity of being heard either in person or by legal practitioner and may after hearing all such objections and after making such further enquiry if any as the competent authority thinks necessary by order either allow or disallow the objections;

Any order made by the competent authority under sub-section (2) of Section 20D of the said Act shall be final;

The land plans and other details of the land covered under this notification are available and can be inspected by the interested person at the aforesaid office of the competent authority.

SCHEDULE

Brief description of the land to be acquired with or without structure falling within the proposed Special Railway Project namely, Eastern Dedicated Freight Corridor in the district of Paschim Bardhaman in the State of West Bengal.

Name of District : Paschim Bardhaman

| Sl. No. | Police Station | Name of Mouza with JL No. | Plot No. | Acquisition Area | | Affected Portion |
|---------|----------------|---------------------------|----------|------------------|---------|------------------|
| | | | | Acre | Hectare | |
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1. | Raniganj | Raniganj-24 (L.R.) | 6267 | 0.330 | 0.1335 | Full |
| | | | 6268 | 0.005 | 0.0020 | Northern |
| | | | 6269 | 0.025 | 0.0101 | Northern |
| | | | 6270 | 0.020 | 0.0081 | Northern |
| | | | 6275 | 0.005 | 0.0020 | Northern |
| | | | 6276 | 0.020 | 0.0081 | Northern |
| | | | 6283 | 0.015 | 0.0061 | Northern |
| | | | 6286 | 0.020 | 0.0081 | Northern |
| | | | 6287 | 0.035 | 0.0142 | Northern |
| | | | 6288 | 0.280 | 0.1133 | Northern |

| | | | | | | |
|----|--|----------------------------|-----------|-------|--------|---------------------------------------|
| | | | 6289 | 0.235 | 0.0951 | Northern |
| | | | 6290 | 0.155 | 0.0627 | Northern |
| | | | 6291 | 0.075 | 0.0304 | Northern |
| | | | 6295 | 0.270 | 0.1093 | North-Western |
| | | | 6296 | 0.405 | 0.1639 | Full Plot Except South-Eastern Corner |
| | | | 6297 | 0.030 | 0.0121 | Full |
| | | | 6298 | 0.035 | 0.0142 | Northern |
| | | | 6314 | 0.005 | 0.0020 | North-West Corner |
| | | | 6315 | 0.060 | 0.0243 | Full Plot Except South Corner |
| | | | 6316 | 0.240 | 0.0971 | Northern |
| | | | 6317 | 0.240 | 0.0971 | Northern |
| | | | 6318 | 0.055 | 0.0223 | Middle |
| | | | 6323 | 0.325 | 0.1315 | North-Eastern |
| | | | 6324 | 0.100 | 0.0405 | Full |
| | | | 6326 | 0.005 | 0.0020 | North-East Corner |
| | | | 6945 | 0.020 | 0.0081 | Northern |
| | | | 6946 | 0.015 | 0.0061 | Northern |
| | | | 6947 | 0.005 | 0.0020 | North-Western |
| | | | 6949 | 0.005 | 0.0020 | Northern |
| | | | 6950 | 0.310 | 0.1255 | Full |
| | | | 6951 | 0.160 | 0.0647 | Full |
| | | | 6952 | 0.085 | 0.0344 | Northern |
| 2. | | Raniganj-24 (L.R.) | 4171 | 0.062 | 0.0251 | Full |
| | | | 4172 | 0.090 | 0.0364 | Full |
| | | | 4173 | 0.005 | 0.0020 | North-East Corner |
| | | | 4174 | 0.047 | 0.0190 | Northern |
| | | | 4175 | 0.170 | 0.0688 | Northern |
| | | | 4209 | 0.114 | 0.0462 | Northern |
| 3. | | Raniganj-24 (R.S.) | 1182 | 1.090 | 0.4413 | North-Eastern |
| | | | 1182/5666 | 0.025 | 0.0101 | Northern |
| | | | 1182/5667 | 0.490 | 0.1984 | Full Plot Except South-West Portion |
| | | | 1184/5662 | 0.070 | 0.0283 | North-Eastern |
| 4. | | Baktarnagar-30 (R.S./L.R.) | 1123 | 0.530 | 0.2145 | Eastern |
| | | | 1124 | 0.080 | 0.0326 | North-Eastern |
| | | | 1125 | 0.055 | 0.0223 | Full Plot Except South Corner |
| | | | 1126 | 0.235 | 0.0951 | Northern |

| | | | | | | |
|--|--|--|---------------|-------|--------|------------------------------------|
| | | | 1129 | 0.260 | 0.1052 | Full |
| | | | 1130 | 0.150 | 0.0607 | Full |
| | | | 1136 | 0.030 | 0.0121 | South-Western |
| | | | 1137 | 0.170 | 0.0688 | Full |
| | | | 1138 | 0.530 | 0.2145 | Full Plot Except Southern |
| | | | 1139 | 0.555 | 0.2246 | Full Plot Except South-West Corner |
| | | | 1140 | 0.220 | 0.0890 | Full |
| | | | 1141 | 0.950 | 0.3845 | Full Plot Except North-West Corner |
| | | | 1142 | 0.030 | 0.0121 | Southern |
| | | | 1143 | 0.070 | 0.0283 | Full |
| | | | 1144 | 0.110 | 0.0445 | Full |
| | | | 1145 | 0.090 | 0.0364 | Full |
| | | | 1146 | 0.130 | 0.0526 | Full |
| | | | 1147 | 0.570 | 0.2307 | Full |
| | | | 1148 | 0.855 | 0.3460 | Northern |
| | | | 1149 | 0.840 | 0.3399 | Full |
| | | | 1150 | 0.205 | 0.0830 | Northern |
| | | | 1154 | 0.490 | 0.1983 | Northern |
| | | | 1155 | 0.540 | 0.2185 | Northern |
| | | | 1156 | 0.845 | 0.3420 | North-Western |
| | | | 1179 | 0.025 | 0.0101 | North-East Corner |
| | | | 1121/ 2737 | 0.115 | 0.0465 | Full Plot Except Southern |
| | | | 1130/ 2738 | 0.160 | 0.0648 | Full |
| | | | 1130/ 2739 | 0.020 | 0.0081 | Full |
| | | | 1138/ 2740 | 0.060 | 0.0243 | Full |
| | | | 1149/ 2741 | 0.340 | 0.1376 | Full |
| | | | 1156/ 2742 | 0.330 | 0.1335 | Full Plot Except Southern |
| | | | 1151/ 2770 | 0.030 | 0.0121 | North-Western |
| | | | 1123/ 2878 | 0.055 | 0.0223 | South-East Corner |
| | | | 1147/ 2879 | 0.330 | 0.1335 | North-Western |

| | | | | | |
|----|------------------------|-------|-------|--------|--------------------|
| 5. | Egara-13 (R.S.) | 1585 | 0.305 | 0.1235 | North-Eastern |
| | | 1586 | 0.125 | 0.0506 | North-Eastern |
| | | 1587 | 0.665 | 0.2692 | North-Eastern |
| | | 1600 | 0.515 | 0.2085 | North-Eastern |
| | | 1605 | 0.005 | 0.0020 | North-Eastern |
| | | 1609 | 0.290 | 0.1174 | Full |
| | | 1608 | 0.075 | 0.0304 | Full |
| | | 1610 | 0.015 | 0.0061 | Full |
| | | 1611 | 0.280 | 0.1134 | North-Eastern |
| | | 1612 | 0.055 | 0.0223 | North-Eastern |
| | | 1615 | 0.015 | 0.0061 | North-Eastern |
| 6. | Chelod-05 (L.R.) | 2505 | 0.190 | 0.0769 | North-West Portion |
| | | 2538 | 0.020 | 0.0081 | North-East Corner |
| | | 2540 | 0.010 | 0.0040 | South-East Portion |
| | | 2542 | 0.125 | 0.0506 | Southern |
| | | 2544 | 0.050 | 0.0202 | Southern |
| | | 2545 | 0.060 | 0.0243 | Southern |
| | | 2546 | 0.060 | 0.0243 | Western |
| | | 2547 | 0.030 | 0.0121 | South-West Corner |
| 7. | Murgathol-15 (L.R.) | 2/595 | 0.400 | 0.1620 | North-East Portion |
| 8. | Murgathol-15 (L.R.) | 480 | 0.160 | 0.0648 | North-East Portion |
| | | 481 | 1.730 | 0.7001 | Middle |
| | | 482 | 0.370 | 0.1497 | Western |
| | | 492 | 0.170 | 0.0688 | South-West Portion |
| | | 496 | 0.045 | 0.0182 | Western End |
| | | 502 | 0.350 | 0.1416 | Middle |
| | | 503 | 0.290 | 0.1174 | Northern |
| | | 504 | 0.120 | 0.0486 | Northern |
| | | 507 | 0.015 | 0.0061 | North Corner |
| | | 511 | 1.490 | 0.6030 | Middle |
| | | 514 | 0.360 | 0.1457 | Middle |
| | | 515 | 0.110 | 0.0445 | Northern |
| | | 516 | 0.110 | 0.0445 | Southern |
| | | 517 | 0.005 | 0.0020 | South Corner |
| | | 528 | 0.950 | 0.3845 | Middle |
| | | 532 | 0.610 | 0.2469 | Middle |

| | | | | | | |
|--|--|--|-------------|-------|--------|--------------|
| | | | 533 | 0.130 | 0.0526 | Southern |
| | | | 534 | 0.635 | 0.2570 | Northern |
| | | | 537 | 0.010 | 0.0040 | North Corner |
| | | | 540 | 0.770 | 0.3116 | Middle |
| | | | 542 | 0.085 | 0.0344 | Southern |
| | | | 543 | 0.355 | 0.1437 | Northern |
| | | | 544 | 0.950 | 0.3845 | Middle |
| | | | 513/ 624 | 0.365 | 0.1477 | Middle |
| | | | 541/ 625 | 0.465 | 0.1882 | Middle |

[F. No. 2020/LML-II/12/2/EC/2011]

AJAY SHARMA, Executive Director (Land & Amenities–I)